# Rogue Eagles Newsletter

August 2013

### **ALL THUMBS- FROM THE PREZ'S CHAIR**

My name is Jay Strickland and I approve this message

Here it is June already and the Rally of Giants is almost here. Our hard working newsletter editor has taken some time off to travel so this newsletter will be in a "temporary" format. I have asked for input from members to include in this issue but submissions have been sparse (thank you Alan!).

It is now post Rally of Giants and our newsletter editor Ben Musolf has regretfully tendered his resignation from the position. Ben would like to pursue other interests and have more of his time to devote to family. We certainly want to thank Ben for his many years of great service and a world class newsletter! I think the newsletter is one of those things we take for granted when it magically appears every month but sorely miss it when it doesn't. In any case the newsletter will be somewhat sporadic until we find someone willing to do the job.



June 27th-30th, 2013 Medford, Oregon









MEDFORD AIR SERVICE 4002 Cirrus Dr. Medford OR, 97504 541-779-5451































MISCELLANY ANTIQUES Serving The Rogue Valley Since 1988 220 N. Fir Street • Medford, OR 97501 541.770.9097

## The Rally of Giants 2013

Cliff, you and your crew; Calvin E., Bruce T., Gary N., Larry M., Gary C. and the rest of the fellows who worked hard during the event sure did an unbelievable job in executing this ROG! We would also like to thank John G. for taking care of CD duties for the float fly portion at Agate Lake. Lastly but certainly not least we need to thank Ron Patterson and Rick Lindsey for an awesome ROG website. We have come to expect this type of excellence from our online offerings and it was business as usual for these guys! By the way Cliff's family, most notably Bonnie and Donna worked tirelessly behind the scenes doing just about everything with a smile!

Almost unanimously, every participant I spoke with indicated this was the **most** organized, **well run** RC event they had ever seen. Your planning and attention to every detail was truly professional. You and your team can be very proud of your contribution in putting Southern Oregon Aeromodelling and the Rogue Eagles on the RC map! It is my opinion that your team ensured there was absolutely no reason (within your control) for anyone not to attend the Rally. There were over eighty pilots registered with some two hundred planes flying. IMAA President Frank Fels as well as many IMAA district VP's and AMA District XI VP Mike Mosbrooker were also in attendance and can be quoted as saying they were also very happy and impressed with the quality and professionalism shown by our club. Great job on a very successful Rally! (Temporary Editor's note... Jay Strickland was awesome as an announcer!)

## **Rogue Eagles at Scout Camp**

On 6-25-13 Rich DeMartini, Larry Cogdell and Dave Bartholomew put on a presentation and flight demonstration at the Veterans Hospital Facility in White City for the Southern Oregon Boy Scouts. Rogue Eagle Members did seven, forty five minute presentations speaking to over two hundred scouts. The program consisted of introductions of the presenters, a static display of scale Sopwith Pup, Me109,F14 glow models, a gas powered Katrina, Flying Pizza Box, Flying Wing, plus Electric ducted fan F-18 and a Quad Copter. A brief history of aviation and model aircraft was given. Larry Cogdell flew his Quad Copter to the delight of the crowd, while Dave Bartholomew was seeing how high he could fly his Super Cub Electric while dodging all the light poles which surrounded the baseball diamond. All in all a good time was had by both presenters and scouts with a great introduction to model aviation for the kids.

Submitted R.E.D.

### **Vacant Positions**

We are still looking for someone to fill the positions of Secretary, Safety Officer and also Newsletter Editor. If you are interested in one of these positions please contact an Executive Board member. That is all, Grandog out.

Remember, Our club is only as good as we make it!

## **Upcoming Vote on By-Laws change and new Runway**

This will serve as the 30 day advance newsletter notice (required in By-Laws) of a vote on two By-Laws changes as well as a vote to proceed with new runway project as the project will entail spending over \$2,500.00.

**By-laws change #1:** (Article VII Sec. 6) Change wording from "or Life Membership will be terminated without refund" to "or Life membership will revert to associate Life Membership"

This change will allow members who have paid for or been bestowed Life Membership to retain such Life Membership in an "Associate" status when they are not active AMA members.

**By-Laws change #2:** (Addendum) Change wording from "Junior Membership (Under 16 Years of Age)" to "Junior Membership (Under 19 years of Age)"

This change will align our Junior membership age with AMA's Junior membership age requirement

**Runway project vote:** A Yes vote will allow the club to spend the runway account funds on a new runway when the account has reached the appropriate funding for the project.

Mail in ballots will be provided to all members in good standing and votes will be tallied at the September General Membership meeting.

oise is one of the major issues threatening RC airfields and many other recreational activities. What you consider to be a pleasant ound from a glow engine at 17,000 pm can be an unbearable racket for the neighbors who do not share your passion or RC flight. Part of the definition of 10ise is, "sound that is unwanted or indesired."

The sound factor draws many into RC ircraft flying—a big part of the fun is he engine noise. Some hobbyists avoid electric-powered airplanes because of he lack of engine sounds.

I choose to ride a large Honda touring notorcycle which is no louder than typical car. My neighbor down the treet loves his Harley, complete with oud aftermarket exhaust pipes. For im, the noise is an integral part of the experience. The neighborhood is not as namored, especially at 7 a.m.

#### he Basics of Noise

Our eardrums sense tiny fluctuations n air pressure, which we interpret as ound. The decibel scale is used for expressing sound levels because we do ot perceive loudness in a linear fashion. We detect loudness in a logarithmic vay, similar to the Richter scale for arthquakes.

Although an increase of 3 decibels dB) doubles the sound energy or mplitude, it takes a change of 10 dB to e judged as twice as loud. Each similar lecrease of 10 dB is considered to be alf as loud as the original sound.

Changes of 1 dB are not perceptible. 13 dB change can be heard by a critical stener under ideal conditions. A 5 dB hange is normally the threshold where difference is readily noticeable, either p or down.

A-weighted decibels (dBA) are ommonly used to measure sound levels. he A-weighted scale deemphasizes low requencies to directly compare loudness om different sounds. Theoretically, a iesel locomotive measuring 80 dBA as the same loudness as a cymbal at 80 BA, although the frequency content is nuch different.


Our ears and hearing system are onstructed to put more emphasis on igh-frequency sound than low tones. It is important to hear a twig snap

(high-frequency) from behind as the grizzly bear stalks you. Low-frequency rumble from distant thunder miles away is less critical. Most of the information content from speech is in the middle and higher frequencies, 500 Hz to 2000 Hz.

The time of day, duration, and variability of sound affects the annoyance factor. Steady sounds are less annoying and more easily accepted than

maximum level (Lmax). The Leq is the summed total of the sound energy occurring throughout the event or a time period. Although not mathematically precise, Leg can be thought of as the average sound level.

The Lmax is the loudest noise that occurs, if only for a second or two. It takes a more sophisticated sound meter to measure Leg and calculate the running average. A decent sound meter



There is no handy library or compilation of sound data for RC aircraft, but the author compiled a chart that shows that the typical sound levels for various types of RC aircraft, at a reference distance of 100 feet.

	Glow- and gas-powered airplanes	Leq 66-75	Lmax 75-90
	Glow- and gas-powered helicopters	Leq 68-70	Lmax 77-79
	Electric-powered helicopters	Leq 66-68	Lmax 75-76
•	Electric ducted-fan jet airplanes	Leq 56-58	Lmax 67-70
	Turbine-powered airplanes	Leq 68-71	Lmax 80-90
	Turboprop airplanes	Leq 58-60	Lmax <b>7</b> 5

a varying sound. Sounds with pure tones or major fluctuations in level are more noticeable, which is why those sounds are used for alarms and sirens.

In the case of RC airplanes, the sound levels change throughout the flight. The variability makes the noise more noticeable and annoying to the public.

Two common ways to express sound levels are the equivalent continuous noise level (Leq) and the momentary

of reasonable accuracy will cost at least \$300. An integrating sound meter that can directly measure Leq typically costs \$1,500 or more.

#### **Noise Limits**

There is no magic number to make everyone happy and avoid annoying or offending others. There also is not a definite dB value where everyone agrees that noise becomes a problem. Because humans are involved, there is always a certain amount of subjectivity and variability.

The U.S. Army has noise criteria for military firing ranges that define acceptable noise levels when up to 15% of the nearby population is annoyed. The Occupational Safety and Health Administration allows a workplace level of 90 dBA for an 8-hour shift, without running an undue risk of hearing damage throughout a career.

Not all jurisdictions have a noise ordinance. Even if a city or county has an ordinance, it may be flawed and incomplete. I formerly lived in a small city that has an ordinance adopted in the 1950s. It lists octave bands (different component frequencies rather than the overall dBA value) that have not been used since the early 1960s.

In my 28 years as a full-time acoustical engineer, I have never seen a sound meter that can measure the octave bands that are listed. If the text of an ordinance has technical flaws you are usually stuck with them. A knowledgeable expert can sometimes make a case for different interpretations, but the letter of the law is usually what counts. Often, the government staffers do not understand their own noise ordinance.

Many noise ordinances will express noise limits as either Leq values or Lmax values. In the case of Leq, the wording is usually something similar to: "... noise level shall not exceed Leq 60 dBA for any given daytime hour."

Another approach is listing the maximum permissible level (Lmax) regardless of duration such as, "... noise shall not exceed 70 dBA at a residential property or property line at any time." Noise limits are typically 10 dB lower between 10 p.m. and 7 a.m.

Another approach to noise limits is ambient plus five dB. In this case, the average existing background or ambient noise in the area is measured without the noise in question. While RC aircraft are flying, another set of sound levels are observed. The two levels cannot differ by more than 5 decibels.

If the background noise is Leq 59 dBA for example, the noise when RC airplanes are flying cannot exceed Leq 64 dBA. This option is helpful in areas that are already noisy.

If the stated limit is 60 dBA but the highway traffic is 64 dBA, you cannot easily demonstrate compliance with the lower limit. The ambient adjustment can be a double-edged sword. If the area is quiet and the background noise averages 40 dBA, then your noise limit becomes 45 dBA

Some ordinances do not have any numerical limits. They simply use vague language such as, "... shall not create a nuisance at nearby residences" or similar phrasing. But what constitutes a nuisance? One's sweet sound is another's awful racket. A numerical decibel limit is more understandable and less open to interpretation, and more defensible in court should it come to that.

#### **Noise-Control Techniques**

Noise control works on a source-pathreceiver model. Noise can be reduced at the source (using mufflers, quieter engines, electric motors), along the path of propagation (distance, barriers), or at the receiver (enclosures, better windows, earplugs).

In the case of RC aircraft, the noise source is elevated and moving, so an enclosure or a property-line noise barrier is typically not an option. Good luck getting the neighbors to wear earplugs because you want to fly!

The available options usually fall into a few categories:

- Limits on aircraft type (electric powered versus glow powered, or a ban on turbines).
- Restricted hours for the field (typically not after 9 p.m. or before 10 a.m.).
- Noise limits on the aircraft (requiring mufflers or baffles, or a limit on engine size).

The Leq value shown on the chart is for approximately 3 to 5 minutes of a given flight. Lmax is the highest momentary level that was observed during a high-speed pass or a takeoff. It is complicated to extrapolate a 5-minute Leq out during an entire hour, as is often required when assessing compliance with a local noise ordinance.

That calculation is well beyond a simple explanation. A 5-minute Leg taken during a flight will be higher than

the same sounds averaged for an hour. If the limit is Leq 60 for an hour, and you measure Leq 65 during each of several 5 to 10-minute flights that hour, the overall average will likely comply.

There were some surprises in this data. Turbine aircraft were expected to be louder than glow engines, but the difference was only 3 to 4 dBA. Some glow-powered propeller airplanes were louder than the smaller turbine airplanes. A level that is 3 decibels higher is not dramatically louder. Jets with turbines rated from P-60 to PT-160 were measured.

The electric helicopters were slightly quieter than the nitro-powered helis (600 to 800 series, or rotor diameters of 600mm to 800mm). Most of the noise comes from the rotor disc during aggressive maneuvers, not the engine.

The loudest propeller airplane measured was a 40% Scale, gaspowered aerobatic model with a 160cc four-stroke gas engine. On average, its noise was Leq 70 throughout the 6-minute routine, but the peak was higher than other airplanes (90 dBA during a high-speed pass down the

runway). Smaller gas- or glow-powered aircraft were in the 72 to 86 dBA range for their momentary maximum levels, depending on aircraft size and the power setting.

It is important to note that any sound data must include a distance. If someone says, "My airplane makes 92 dBA," we need to know at what distance. It makes a huge difference whether that 92 dBA level occurs at 5 feet (glow engine during run-up) or at 500 feet (Boeing 747 during takeoff).

Distance is typically beneficial. Sound dissipates at roughly 6 dB per doubling of the distance, according to the inverse-square law. A level of 90 dBA measured at 100 feet becomes 84 dBA at 200 feet, 78 dBA at 400 feet, and so forth.

Most are surprised to learn that trees and vegetation do not make a big difference in the sound levels at distances. A row of trees around the field will not lower sound levels at a nearby home.

A mature forest that is 100 yards wide will have roughly a 5 dB net noise reduction value compared to an open, grassy field. Five decibels is slightly noticeable, so the benefit gained by a couple of rows of thinly spaced trees is negligible. There can be an out of sight, out of mind psychological benefit, but nothing that sound meters can quantify.

#### Conclusion

The RC hobby can be noisy, particularly with fuel-powered aircraft. Most clubs realize that they need to be good neighbors and go to reasonable lengths (or sometimes well beyond reasonable) to protect the hobby and keep using their airfields.

If your club or flying field is threatened by community complaints or enforcement action, it is worthwhile to get advice from someone who is competent in noise assessment. These experts are usually listed under acoustical consultants in the telephone book.

Navigating the maze of noise

#### **ABOUT THE AUTHOR**

Earl Mullins has been an acoustical consultant for 28 years, and has a mechanical engineering degree. He has studied and evaluated noise from a wide variety of sources, including major airports and a few RC airfields. He has expertise in writing and interpreting noise ordinances—addressing a variety of specific problems and community complaints. He also routinely develops noise-control measures to meet specific criteria.

Earl learned to fly in Alaska and spent 14 years doing remote-area flying, including search-and-rescue missions. He no longer actively flies full-scale aircraft.

He recently became an AMA member and is learning to fly several different electric-powered trainer airplanes.

regulations, zoning requirements, permits, and neighborhood opposition without some expert guidance is unwise. It's similar to representing yourself in court or diagnosing your own illness.

—Earl Mullins, professional engineer earl@mullinsacoustics.com